

Articolo

405.1686
 PRESA INCASSO OMNIA 3P+T 16A 6h IP67


Immagine**Anagrafica**


Minimo ordinabile	6 NR
Peso Netto	0.45 KG
Codice EAN	8001636049014
Codice INTRASTAT	85366990


TechData

Descrizione sintetica	PRESA INTERBLOCCATA
Serie commerciale	Serie OMNIA
Grado di protezione	IP66/IP67
Flangia	136X125MM
Corrente nominale	16A
Poli	3P+T
Frequenza d'impiego	50Hz
Frequenza d'impiego	60Hz
Tensione nominale	380-415V
Colore	ROSSO
Riferimento Orario	6h

Marchi e Certificazioni


 I.M.Q. - ENEC 03
 European Norms Electrical Certification

 CCC (China)
 China Compulsory Certification mark

 UE
 Dichiarazione di conformità

Norme e Leggi

EN 60309-1/A1 (2007)
[European Standard] Plugs, socket-outlets
and couplers for industrial purposes. Part 1:
General requirements



EN 60309-2/A1 (2007)
[European Standard] Plugs, socket-outlets
and couplers for industrial purposes. Part 2:
Dimensional interchangeability requirements
for pin and contact-tube accessories of
harmonized configurations

EN 60309-2 (1999)
[European Standard] Plugs, socket-outlets
and couplers for industrial purposes. Part 2:
Dimensional interchangeability requirements
for pin and contact-tube accessories of
harmonized configurations

EN 60309-1 (1999)
[European Standard] Plugs, socket-outlets
and couplers for industrial purposes. Part 1:
General requirements

EN 60309-4 (2007)
[European Standard] Plugs, socket-outlets
and couplers for industrial purposes.
Switched socket-outlets and connectors,
with or without interlock



Packaging

Descrizione	Scatola
Quantità	6
Codice EAN	8001636922478
Peso lordo	2,892 KG
Volume	10120,855 CCM
Dimensioni	223x313x145 (MM)

Allegati



.dwg

EN 60309-1/A2 (2012)
[European Standard] Plugs, socket-outlets
and couplers for industrial purposes. Part 1:
General requirements

EN 60309-2/A2 (2012)
[European Standard] Plugs, socket-outlets
and couplers for industrial purposes. Part 2:
Dimensional interchangeability requirements
for pin and contact-tube accessories of
harmonized configurations

Istruzioni per l'utilizzo

Disegno tecnico [DWG]



.pdf







.stp

Note:

> Complete di viti di fissaggio in acciaio
inox.



Articoli Collegati:

	572.0200	SCATOLA 160x149x72mm
	572.0220	CORNICE IP55 174x163x19mm
	572.0310	SCATOLA IP67 135x125x70mm
	572.M0310	SCATOLA IP67 135x125x70mm

Servizio Web:

30/05/2017



Disegno tecnico [PDF]

Disegno tecnico [STP]