

# DDA202 AC-25/0,03



Products Low Voltage Products and Systems Modular DIN Rail Products Residual Current Devices RCDs  
Residual Current Devices RCD Blocks

## General Information

**Extended Product Type:** DDA202 AC-25/0,03

**Product ID:** 2CSB202001R1250

**EAN:** 8012542791102

**Catalog Description:** DDA202 AC-25/0,03 - RCD Block

**Long Description:** The RCD block DDA200 series is suitable for assembly with MCBs S200 series. It assures protection against the effects of sinusoidal alternating earth fault currents, protection, against indirect contacts and additional protection against direct (with sensitivity = 30 mA) contacts. Applications: residential, commercial, industrial.

## Additional Information

<b>Country of Origin:</b>	Italy (IT)
<b>Customs Tariff Number:</b>	85363030
<b>Data Sheet, Technical Information:</b>	2CSC400002D0209
<b>Declaration of Conformity - CE:</b>	2CSC427001D2702
<b>EAN:</b>	8012542791102
<b>ETIM 4:</b>	EC002297 - Residual current circuit breaker (RCCB) module
<b>ETIM 5:</b>	EC002297 - Residual current circuit breaker (RCCB) module
<b>ETIM 6:</b>	EC002297 - Residual current circuit breaker (RCCB) module
<b>Environmental Information:</b>	document not needed
<b>Instructions and Manuals:</b>	2CSB423001D0003
<b>Invoice Description:</b>	DDA202 AC-25/0,03 - RCD Block
<b>Minimum Order Quantity:</b>	1 piece
<b>Number of Poles:</b>	2
<b>Object Classification Code:</b>	Q
<b>Operating Characteristic:</b>	Instantaneous
<b>Options Provided:</b>	-
<b>Package Level 1 EAN:</b>	8012542791119
<b>Package Level 1 Gross Weight:</b>	0.245 kg
<b>Package Level 1 Height:</b>	0.076 m
<b>Package Level 1 Length:</b>	0.102 m
<b>Package Level 1 Units:</b>	1 piece
<b>Package Level 1 Width:</b>	0.077 m
<b>Power Loss:</b>	2 W
<b>Product Main Type:</b>	DDA200
<b>Product Name:</b>	Residual Current Device Block
<b>Product Net Depth:</b>	0.069 m
<b>Product Net Height:</b>	0.093 m
<b>Product Net Weight:</b>	0.210 kg
<b>Product Net Width:</b>	0.070 m
<b>Rated Current (I<sub>n</sub>):</b>	25 A
<b>Rated Operational Voltage:</b>	230 V AC
<b>Rated Residual Current:</b>	30 mA
<b>Rated Voltage (U<sub>r</sub>):</b>	230/400 V
<b>RoHS Information:</b>	2CSC427001K0201
<b>RoHS Status:</b>	Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2006-07-01
<b>Selling Unit of Measure:</b>	piece
<b>Short Description:</b>	Residual Current Device Block DDA202 AC-25/0,03
<b>Standards:</b>	IEC/EN 61009 Ann. G
<b>Type of Residual Current:</b>	AC type

