

DDA202 AC-25/0,3



Products Low Voltage Products and Systems Modular DIN Rail Products Residual Current Devices RCDs
Residual Current Devices RCD Blocks

General Information

Extended Product Type: DDA202 AC-25/0,3

Product ID: 2CSB202001R3250

EAN: 8012542791706

Catalog Description: DDA202 AC-25/0,3 - RCD Block

Long Description: The RCD block DDA200 series is suitable for assembly with MCBs S200 series. It assures protection against the effects of sinusoidal alternating earth fault currents, protection, against indirect contacts and additional protection against direct (with sensitivity = 30 mA) contacts. Applications: residential, commercial, industrial.

Additional Information

Country of Origin:	Italy (IT)
Customs Tariff Number:	85363030
Data Sheet, Technical Information:	2CSC400002D0209
Declaration of Conformity - CE:	2CSC427001D2702
EAN:	8012542791706
ETIM 4:	EC002297 - Residual current circuit breaker (RCCB) module
ETIM 5:	EC002297 - Residual current circuit breaker (RCCB) module
ETIM 6:	EC002297 - Residual current circuit breaker (RCCB) module
Environmental Information:	document not needed
Instructions and Manuals:	2CSB423001D0003
Invoice Description:	DDA202 AC-25/0,3 - RCD Block
Minimum Order Quantity:	1 piece
Number of Poles:	2
Object Classification Code:	Q
Operating Characteristic:	Instantaneous
Options Provided:	-
Package Level 1 EAN:	8012542791713
Package Level 1 Gross Weight:	0.245 kg
Package Level 1 Height:	0.076 m
Package Level 1 Length:	0.102 m
Package Level 1 Units:	1 piece
Package Level 1 Width:	0.077 m
Power Loss:	2 W
Product Main Type:	DDA200
Product Name:	Residual Current Device Block
Product Net Depth:	0.069 m
Product Net Height:	0.093 m
Product Net Weight:	0.210 kg
Product Net Width:	0.070 m
Rated Current (I_n):	25 A
Rated Operational Voltage:	230 V AC
Rated Residual Current:	300 mA
Rated Voltage (U_r):	230/400 V
RoHS Information:	2CSC427001K0201
RoHS Status:	Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2007 Q3
Selling Unit of Measure:	piece
Short Description:	Residual Current Device Block DDA202 AC-25/0,3
Standards:	IEC/EN 61009 Ann. G
Type of Residual Current:	AC type

