

SN201-C10



Products Low Voltage Products and Systems Modular DIN Rail Products Miniature Circuit Breakers MCBs

General Information

Extended Product Type:	SN201-C10
Product ID:	2CSS255101R0104
EAN:	8012542091752
Catalog Description:	Miniature circuit breaker - SN201 - 2P - C
Long Description:	The SN201 series miniature circuit breaker is a 1P+N single-module device for the protection of circuits against overload and short circuit. It is suitable for the application in final distribution and protection of long cable lengths in TN and IT systems

Additional Information

Country of Origin:	Italy (IT)
Customs Tariff Number:	85362010
Data Sheet, Technical Information:	2CSC400002D0209
Declaration of Conformity - CE:	2CSC401001D2702
EAN:	8012542091752
ETIM 4:	EC000042 - Miniature circuit breaker (MCB)
ETIM 5:	EC000042 - Miniature circuit breaker (MCB)
ETIM 6:	EC000042 - Miniature circuit breaker (MCB)
Environmental Information:	refer to RoHS information
Instructions and Manuals:	document not needed
Invoice Description:	SN201-C10 - Miniature circuit breaker
Minimum Order Quantity:	1 piece
Number of Poles:	2
Number of Protected Poles:	1
Object Classification Code:	Q
Options Provided:	-
Package Level 1 EAN:	8012542091769
Package Level 1 Gross Weight:	0.684 kg
Package Level 1 Height:	0.075 m
Package Level 1 Length:	0.092 m
Package Level 1 Units:	6 piece
Package Level 1 Width:	0.11 m
Position of Neutral Terminals:	Right
Power Loss:	at Rated Operating Conditions per Pole 1.9 W
Product Main Type:	SN201
Product Name:	Miniature circuit breaker
Product Net Depth:	0.069 m
Product Net Height:	0.085 m
Product Net Weight:	0.110 kg
Product Net Width:	0.018 m
Rated Current (I_n):	10 A
Rated Operational Voltage:	acc. to IEC 60898-1 230 V AC
Rated Short-Circuit Capacity (I_{cn}):	(230 / 400 V AC) 6 kA
RoHS Date:	20090519
RoHS Information:	2CSC402002K0201
RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment
Selling Unit of Measure:	piece
Standards:	IEC/EN 60898-1
Tripping Characteristic:	C
Accessories Available:	Yes

